according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Klüberfood NH1 94-402

Article-No. : 096097

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Grease

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG

Geisenhausenerstr. 7 81379 München Deutschland

Tel.: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com

E-mail address of person

responsible for the SDS

: mcm@klueber.com

Material Compliance Management

National contact : Klüber Lubrication Nordic A/S

Vasagatan 36 111 20 Stockholm

Sweden

Tel: +46 8 59098600 Fax: +46 8 59098601 klueber.se@se.klueber.com

1.4 Emergency telephone number

Emergency telephone num-

: 112 - ask for poison information

ber

+49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

!>

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

ter for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Additional Labelling

EUH208 Contains Sulfonic acids, petroleum, calcium salts; Benzenesulfonic acid, C10-

16-alkyl derivs., calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Chemical nature : Mineral oil.

Synthetic hydrocarbon oil special calcium soap

Components

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Sulfonic acids, petro- leum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- XXXX	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6 271-529-4 01-2119492627-25- XXXX	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr.2; H361f Aquatic Chronic3; H412		>= 1 - < 2,5
calcium dodecylben- zenesulphonate	26264-06-2 247-557-8 01-2120122335-68- 0006 01-2120122335-68- 0005 01-2120122335-68- XXXX	Acute Tox.4; H302 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic4; H413		>= 1 - < 2,5
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0 274-263-7	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

 Version
 Revision Date:
 Date of last issue: 2022-08-02
 Print Date: 2022

 3.1
 2022-11-09
 Date of first issue: 2016-06-09
 11-09

	01-2119492616-28- XXXX			
Substances with a work	place exposure limit:			
calcium carbonate	471-34-1 207-439-9 01-2119486795-18- 0000	Not classified		>= 10 - < 20
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 1 - < 10
Paraffin oils (petrole- um), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7 265-174-4 649-477-00-2	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Sulphur oxides

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	NGV (Respirable fraction)	2,5 mg/m3	SE AFS (2018-02-19)
		NGV (inhalable fraction)	5 mg/m3	SE AFS (2018-02-19)
Distillates (petrole- um), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	NGV (Mist)	1 mg/m3	SE AFS (2020-09-28)
		KGV (Mist)	3 mg/m3	SE AFS (2020-09-28)
	Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded			
Paraffin oils (petro- leum), catalytic dewaxed heavy; Baseoil — un- specified	64742-70-7	NGV (Mist)	1 mg/m3	SE AFS (2020-09-28)
		KGV (Mist)	3 mg/m3	SE AFS (2020-09-28)
	Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Sulfonic acids, petro- leum, calcium salts	Workers	Inhalation	Long-term systemic effects	11,75 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,33 mg/m3
	Workers	Skin contact	Long-term local ef- fects	1,03 mg/cm2
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	11,75 mg/m3
	Workers	Skin contact	Long-term systemic	3,33 mg/kg



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

			effects	
	Workers	Skin contact	Long-term local ef- fects	1,03 mg/kg
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
Sulfonic acids, petroleum, calcium salts	Fresh water	1 mg/l
	Marine water	1 mg/l
	Intermittent use/release	10 mg/l
	Microbiological Activity in Sewage Treatment Systems	1000 mg/l
	Fresh water sediment	226000000
	Marine sediment	226000000
	Soil	271000000
	Oral	16,667
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Fresh water	1 mg/l
	Marine water	1 mg/l
	Microbiological Activity in Sewage Treatment Systems	1000 mg/l
	Fresh water sediment	723500000
	Marine sediment	723500000
	Soil	868700000
	Oral	16,667
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0,034 mg/l
	Marine water	0,003 mg/l
	Microbiological Activity in Sewage Treatment Systems	10 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,97 (20 °C)

Reference substance: Water The value is calculated

Density : 0,97 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Sulfonic acids, petroleum, calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Method: OECD Test Guideline 402

GLP: yes

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat): 1.300 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 4.199 mg/kg

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

calcium carbonate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 420

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

icity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

Components:

Sulfonic acids, petroleum, calcium salts:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

calcium carbonate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Irritating to eyes.

Components:

Sulfonic acids, petroleum, calcium salts:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit

Assessment : Risk of serious damage to eyes. Result : Risk of serious damage to eyes.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

calcium carbonate:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Components:

Sulfonic acids, petroleum, calcium salts:

Test Type : Buehler Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Test Type : Buehler Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

calcium dodecylbenzenesulphonate:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Test Type : Buehler Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

calcium carbonate:

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : Tested according to Annex V of Directive 67/548/EEC.

Result : Does not cause skin sensitisation.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Sulfonic acids, petroleum, calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Genotoxicity in vitro : Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Product:

Remarks : No data available

Components:

Sulfonic acids, petroleum, calcium salts:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Mouse Application Route : Dermal

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Components:

Sulfonic acids, petroleum, calcium salts:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 500 General Toxicity F1: NOAEL: > 500 Method: OECD Test Guideline 415

Reproductive toxicity - As-

sessment

- Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 500 mg/kg body weight General Toxicity F1: NOAEL: > 500 mg/kg body weight

Method: OECD Test Guideline 415

Reproductive toxicity - As-

sessment

- Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - As-

- Fertility -

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 500 mg/kg body weight General Toxicity F1: NOAEL: > 500 mg/kg body weight

Method: OECD Test Guideline 415

Reproductive toxicity - As-

sessment

Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Effects on foetal develop: Species: Rat

ment Application Route: Dermal

General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight

Method: OECD Test Guideline 414

STOT - single exposure

Components:

Sulfonic acids, petroleum, calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

Sulfonic acids, petroleum, calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Sulfonic acids, petroleum, calcium salts:

Species : Rat

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

NOAEL : 500 mg/kg Application Route : Oral

Method : OECD Test Guideline 407

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat NOAEL : 500 mg/kg Application Route : Oral

Method : OECD Test Guideline 407

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rat

NOAEL : 500 mg/kg
NOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 28

Method : OECD Test Guideline 407

Species:RatNOAEL:0,05 mg/lNOAEL:0,05 mg/lApplication Route:InhalationTest atmosphere:dust/mist

Exposure time : 28

Method : OECD Test Guideline 412

Species : Rat

NOAEL : > 1000 mg/kg NOAEL : > 1.000 mg/kg

Application Route : Dermal Exposure time : 28

Method : OECD Test Guideline 410

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

Components:

calcium carbonate:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

Sulfonic acids, petroleum, calcium salts:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): >

10.000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: ves

Remarks: No toxicity at the limit of solubility

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1.500 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects., No toxici-

ty at the limit of solubility

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10.000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1.500 mg/l

Exposure time: 72 h
Test Type: Growth inhibition

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : LC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects., No toxici-

ty at the limit of solubility

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h
Test Type: static test

Method: OECD Test Guideline 201

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 22 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,5 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10.000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1.500 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : LC50 (activated sludge): > 10.000 mg/l

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects., No toxici-

ty at the limit of solubility

calcium carbonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

Toxicity to fish

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: 10 mg/l Exposure time: 21 d

ic toxicity) Species: Daphnia magna (Water flea)

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

aquatic invertebrates Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

Components:

Sulfonic acids, petroleum, calcium salts:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

calcium dodecylbenzenesulphonate:

Biodegradability : Concentration: 10 mg/l

Result: rapidly biodegradable

Biodegradation: 73 % Exposure time: 28 d



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

calcium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Sulfonic acids, petroleum, calcium salts:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n- : log Pow: 10,88 (20 °C)

octanol/water Method: OECD Test Guideline 117

GLP: yes

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 16,09 (25 °C)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n- : log Pow: > 5

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

octanol/water

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 21 d

Bioconcentration factor (BCF): 104

Partition coefficient: n-

octanol/water

log Pow: 4,77

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 16,09 (25 °C)

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

calcium carbonate:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57). Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

: Not applicable



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a)

to (d)

Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds

emissions (integrated pollution prevention and control)

: 34

Not applicable

Other regulations:

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed. H315 Causes skin irritation.

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H361f Suspected of damaging fertility.

Harmful to aquatic life with long lasting effects. H412 H413 May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard

class.

SE AFS : Sweden. Occupational Exposure Limit Values

SE AFS / NGV : Time Weighted Average SE AFS / KGV : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfood NH1 94-402

Version Revision Date: Date of last issue: 2022-08-02 Print Date: 2022-

3.1 2022-11-09 Date of first issue: 2016-06-09 11-09

Classification of the mixture:

Classification procedure:

Eye Irrit. 2 H319 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.