

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : WOLFRACOAT C FLUID

Article-No. : 099118

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Lubricant

Recommended restrictions : Restricted to professional users.
on use

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person
responsible for the SDS : mcm@klueber.com
Material Compliance Management

National contact : Klüber Lubrication Nordic A/S
Vasagatan 36
111 20 Stockholm
Sweden
Tel: +46 8 59098600
Fax: +46 8 59098601
klueber.se@se.klueber.com

1.4 Emergency telephone number

Emergency telephone num-
ber : 112 - ask for poison information

+49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021-10-11
----------------	------------------------------	---	------------------------

gory 1

Long-term (chronic) aquatic hazard, Category 1
H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : ester oil
Mineral oil.
solid lubricant

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	specific concentration limit M-Factor Notes	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0 Revision Date: 2021-10-11 Date of last issue: 2021-05-14 Print Date: 2021-10-11
Date of first issue: 2015-05-27

	Registration number		Acute toxicity estimate	
copper flakes (coated with aliphatic acid)	7440-50-8 029-019-01-X 01-2119480154-42-XXXX	Acute Tox.4; H302 Acute Tox.3; H331 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/10	>= 2,5 - < 10
Substances with a workplace exposure limit :				
residual oils (petroleum), hydrotreated	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22-XXXX	Not classified	Note L	>= 20 - < 30
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	>= 10 - < 20
Graphite	7782-42-5 231-955-3 01-2119486977-12-XXXX	Not classified		>= 1 - < 10
MICA	601-648-2	Not classified		>= 1 - < 10
aluminium powder (stabilised)	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45-XXXX	Flam. Sol.1; H228		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021-10-11
----------------	------------------------------	---	------------------------

medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
In case of contact, immediately flush skin with plenty of water.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do NOT induce vomiting.
Rinse mouth with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Halogenated compounds
Metal oxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

- Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid inhalation of vapour or mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petroleum), hydrotreated	64742-57-0	NGV (Mist)	1 mg/m ³	SE AFS (2018-02-19)
		KGV (Mist)	3 mg/m ³	SE AFS (2018-02-19)
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	NGV (Mist)	1 mg/m ³	SE AFS (2018-02-19)
		KGV (Mist)	3 mg/m ³	SE AFS (2018-02-19)
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				
Graphite	7782-42-5	NGV (inhalable fraction)	3 mg/m ³ (Carbon)	SE AFS (2018-02-19)
		NGV	0,2 fibres per cubic centimeter	SE AFS (2015-11-12)
MICA	Not Assigned	NGV (Respirable fraction)	2,5 mg/m ³	SE AFS (2018-02-19)
		NGV (inhalable)	5 mg/m ³	SE AFS

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0 Revision Date: 2021-10-11 Date of last issue: 2021-05-14 Print Date: 2021-10-11
Date of first issue: 2015-05-27

		fraction)		(2018-02-19)
copper flakes (coated with ali- phatic acid)	7440-50-8	NGV (Respirable fraction)	0,01 mg/m3 (Copper)	SE AFS (2018-02-19)
aluminium powder (stabilised)	7429-90-5	NGV (Total dust)	5 mg/m3 (Aluminium)	SE AFS (2018-02-19)
		NGV (Respirable fraction)	2 mg/m3 (Aluminium)	SE AFS (2018-02-19)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Fatty acids, C18- unsatd., dimers, 2- ethylhexyl esters	Workers	Inhalation	Long-term systemic effects	45,56 mg/m3
	Workers	Skin contact	Long-term systemic effects	64,6 mg/kg
	Consumers	Inhalation	Long-term systemic effects	11,23 mg/m3
	Consumers	Skin contact	Long-term systemic effects	32,3 mg/kg
	Consumers	Ingestion	Long-term systemic effects	3,23 mg/kg
residual oils (petrole- um), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Distillates (petrole- um), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local ef- fects	5,6 mg/m3
Graphite	Workers	Inhalation	Long-term systemic effects	1,2 mg/m3
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3,72 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,72 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hy- drotreated heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
copper flakes (coated with ali- phatic acid)	Fresh water	0,0078 mg/l
	Marine water	0,0052 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Microbiological Activity in Sewage Treat- ment Systems	0,230 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0 Revision Date: 2021-10-11 Date of last issue: 2021-05-14 Print Date: 2021-10-11
Date of first issue: 2015-05-27

	Soil	65,5 mg/kg
aluminium powder (stabilised)	Fresh water	0,0749 mg/l
	Sewage treatment plant	20 mg/l

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : viscous
Colour : grey
Odour : characteristic
Odour Threshold : No data available
Melting point/range : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Boiling point/boiling range : > 200 °C

Flammability :
Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : ≥ 370 °C

Decomposition temperature
Decomposition temperature : No data available

pH : Not applicable

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : insoluble
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,03 (20 °C)
Reference substance: Water
The value is calculated

Density : 1,03 g/cm³
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Explosives	:	Not explosive
Oxidizing properties	:	No data available
Flammability (liquids)	:	Sustains combustion
Self-ignition	:	No data available
Evaporation rate	:	No data available
Sublimation point	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021- 10-11
----------------	------------------------------	---	----------------------------

Acute dermal toxicity : Remarks: This information is not available.

Components:

copper flakes (coated with aliphatic acid):

Acute oral toxicity : LD50 (Rat): > 300 - 500 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

Graphite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

aluminium powder (stabilised):

Acute inhalation toxicity : LC50 (Rat): > 5,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

copper flakes (coated with aliphatic acid):

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

residual oils (petroleum), hydrotreated:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Graphite:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

aluminium powder (stabilised):

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

copper flakes (coated with aliphatic acid):

Assessment : Irritating to eyes.
Result : Irritating to eyes.

residual oils (petroleum), hydrotreated:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

Graphite:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

aluminium powder (stabilised):

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

copper flakes (coated with aliphatic acid):

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Result : Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

residual oils (petroleum), hydrotreated:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.
Result : Does not cause respiratory sensitisation.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Graphite:

Species : Mouse
Method : OECD Test Guideline 429
Result : negative

aluminium powder (stabilised):

Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Graphite:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021- 10-11
----------------	------------------------------	---	----------------------------

Carcinogenicity

Product:

Remarks : No data available

Components:

residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Reproductive toxicity - Assessment : - Fertility -
No toxicity to reproduction

Graphite:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 813 mg/kg body weight
Method: OECD Test Guideline 422

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Graphite:

Species : Rat
NOAEL : 813 mg/kg
Application Route : Oral
Method : OECD Test Guideline 422

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Species : Rat
NOAEL : > 2 mg/l
Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 412

Aspiration toxicity

Product:

This information is not available.

Components:

residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

MICA:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: May cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

Components:

copper flakes (coated with aliphatic acid):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,0384 mg/l
Exposure time: 96 h
Test Type: flow-through test

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: Immobilization

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

Graphite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021- 10-11
----------------	------------------------------	---	----------------------------

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

aluminium powder (stabilised):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,12 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Graphite:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Partition coefficient: n- : log Pow: > 2
octanol/water

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ- : Remarks: No data available
mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment : Non-classified vPvB substance. Non-classified PBT substance.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : Very toxic to aquatic organisms, may cause long-term adverse
mation effects in the aquatic environment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product
07 01 03*, organic halogenated solvents, washing liquids and mother liquors

uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3082

RID : UN 3082

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Copper metal powder)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Copper metal powder)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

IATA : N.O.S.
(Copper metal powder)
: Environmentally hazardous substance, liquid, n.o.s.
(Copper metal powder)

14.3 Transport hazard class(es)

ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

RID
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLUBER
LUBRICATION

WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH - Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see aluminium powder (stabilised) (ANNEX II)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version 5.0	Revision Date: 2021-10-11	Date of last issue: 2021-05-14 Date of first issue: 2015-05-27	Print Date: 2021- 10-11
----------------	------------------------------	---	----------------------------

https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precur-sors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 6,05 %

Other regulations:

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid.
H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H331 : Toxic if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

SE AFS : Sweden. Occupational Exposure Limit Values

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

SE AFS / NGV : Time Weighted Average
SE AFS / KGV : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Classification procedure:

Calculation method

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



WOLFRACOAT C FLUID

Version	Revision Date:	Date of last issue: 2021-05-14	Print Date: 2021-
5.0	2021-10-11	Date of first issue: 2015-05-27	10-11

the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.