

# **SAFETY DATA SHEET**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# **B75 Butyl**

# SECTION 1. Identification of the substance/mixture and of the company

1.1 Product identifier B75 Butyl

1.2 Relevant identified uses of the product and uses advised against

Intended use: Sealant. Professional use.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Sunchem AB Postal adress: Box 69

S-433 21 Partille, Sweden

**Tel.:** +46-31 44 73 10 - F +46 31 44 95 81

**E-mail:** info@sunco.se

1.4 Telephone emergency number:

In case of emergency, contact toxicological information, emergency tel 112.

For non-emergency poison information, see:

http://www.who.int/gho/phe/chemical\_safety/poisons\_centres/en/

## **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Flammable Liquids (Category 3), H226 Specific target organ toxicity (single exposure) Category 3), H336

### 2.2 Label elements

Classification according to regulation (EC) No. 1272/2008 (CLP)

## Pictogram(s)





Signal word Warning

**Hazard statements** 

Date: 2022-08-15

Version no: 1.1

Page 1 (11)



H226 Flammable liquid and vapour.H336 May cause drowsiness or dizziness.

## **Precautionary statements**

**P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

**P233** Keep container tightly closed.

**P261** Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

**P403+P235** Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant

#### **Additional information**

**EUH066** Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

The substances do not contain any substances that are considered to be a PBT or vPvB substance according to Regulation (EC) No. 1907/2006, Annex XIII.

# **SECTION 3. Composition/information on ingredients**

### 3.2 Mixtures

### Declaration of components according to Regulation (EC) No. 1272/2008

Chemical name	CAS No. EC No.	REACH Reg. No. Index No.	Conc. %	Classification
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	64742-48-9 919-857-5	01-2119463258-33	25-50	Flam. Liq. 3; H226 Asp. Tox. 1; H304* STOT SE 3; H336

<sup>\*)</sup> The product is a paste, and exception of classification as H304, because of viscosity > 20 cSt (See Section 9).

For full text of the H-statements see section 16 "Other information".

## **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

**General:** In the least doubt or if symptoms persist, seek medical attention.

Date: 2022-08-15

Version no: 1.1

Page 2 (11)



**Inhalation:** Fresh air and rest. If symptoms persist, seek medical attention.

**Skin contact:** Take off immediately all contaminated clothing. Rinse skin with water/shower.

Apply emollient cream. Repeated exposure may cause skin dryness or

cracking.

**Eye contact:** Rinse carefully with water for several minutes. Remove any contact lenses if

this can be done easily. Continue to rinse. If eye irritation persists, consult a

doctor.

**Ingestion:** Do not induce vomiting. If vomiting occurs, the head should be kept low so

that stomach vomit doesn't enter the lungs. Drink a few glasses of water or

milk. Contact physician if larger quantity has been consumed.

### 4.2 Most important symptoms and effects, both acute and delayed

Repeated exposure may cause skin dryness or cracking.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Consult a doctor and show this safety data sheet.

## **SECTION 5. Firefighting measures**

## 5.1 Extinguishing media

**Suitable extinguishing media:** Use water fog, alcohol resistant foam, powder, or carbon dioxide.

Even soil or sand.

**Unsuitable extinguishing media:** Water with a full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. The vapours may form explosive air mixtures. Vapours are heavier than air and may spread along floors.

### **Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

## 5.3 Advice to firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Cool containers exposed to flames with water.

### **SECTION 6. Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Date: 2022-08-15 Page 3 (11)

Version no: 1.1



Keep away from ignition sources. Ensure adequate ventilation, especially in confined areas. Wear personal protective equipment, see Section 8.

## 6.2 Environmental precautions

Avoid discharges to soil, water or air. Prevent discharges into sewers.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 8 for personal protection and Section 13 for disposal considerations, respectively.

## **SECTION 7. Handling and storage**

### 7.1 Precautions for safe handling

Ensure adequate ventilation. Keep away from heat, ignition sources – no smoking. Take precautionary measures against static discharge. Flammable vapours may be present in empty containers. Wash hands before breaks, and at the end of the work. Use skin cream after handling the product. Contaminated working cloths should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities

Store only in the original package. Prevent penetration of the product into the floor. Keep away from oxidising agents. Store the package in a well-ventilated place. Keep container tightly closed. Protect from heating and direct sunlight. Keep cool.

Storage temperature: >=5°C

7.3 Specific end use(s)

See Section 1.2.

## **SECTION 8. Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

The national occupational exposure limit values that correspond to Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Commission Decision 2014/113/EU(5);

Substances ppm	mg/m³	Interval	Category	Notes
----------------	-------	----------	----------	-------

Date: 2022-08-15

Version no: 1.1

Page 4 (11)



Dekanes and other higher aliphatic hydrocarbons.	-	350	NGV	
Dekanes and other higher aliphatic hydrocarbons.	-	500	KGV	

## 8.2 Exposure control

Assigned personal protection equipment is a guideline. A risk assessment of actual risks may lead to other requirements.

Angiven skyddsutrustning är vägledande. En riskbedömning av faktiska risker kan leda till andra krav.

## 8.2.1 Engineering controls

Work in a well-ventilated area. Mechanical ventilation of local exhaust may be required.

### 8.2.2 Personal protection

Do not eat, drink or smoke when using this product. Wash hands after handling. Use skin lotion or cream to prevent dryness of the skin.

### 8.2.2.1 Eye protection

In the event of spatter, wear protective googles. STANDARD EN 166.



## 8.2.2.2 Hand protection

In the event of direct contact or spatter, use protective gloves. Examples of preferred glove barrier materials include nitrile rubber and neoprene rubber. Layer thickness: 0,2-0,4 mm. Breake through time: < 480 min STANDARD EN 374.

## Skin protection

Wear protective clothing.

### 8.2.2.3 Respiratory protection

In case of inadequate ventilation, respiratory protection (full-face mask with gas filter type A/P2, brown) or breathing apparatus may be required. EN14387.

### 8.2.2.4 Thermal hazard

The product is classified as flammable liquid and vapour.

### 8.3 Environmental exposure control

See Section 6.2.

Date: 2022-08-15

Version no: 1.1

Page 5 (11)



# **SECTION 9. Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

а	Physical state	Liquid/Paste
b	Colour	Transparent
С	Odour/odour threshold	Characteristic/Kerosone
d	Melting point/Freezing point	No data available/not applicable
е	Initial boiling point/boiling range	160 °C
f	Flammability (solid, gas)	Flammable liquid and vapour.
g	Lower and upper explosion limit	No data available/not applicable
h	Flash point	41 °C
i	Auto-ignition temperature	No data available/not applicable
j	Decomposition temperature	No data available/not applicable
k	рН	No data available/not applicable
I	Kinematic viscosity	> 40 cSt
m	Solubility	No data available/not applicable
n	Partition coefficient (n-octanol/water)	No data available/not applicable
0	Vapour pressure	No data available/not applicable
р	Density and/or relative density	No data available/not applicable
q	Relative vapour density	No data available/not applicable
r	Particle characteristics	No data available/not applicable

## 9.2 Other information

# 9.2.1 Information with reagard to physical hazard classes

а	Explosives	Not explosive.
b	Flammable gases	Flammable vapour.
С	Aerosols	No data available/not applicable
d	Oxidising gases	No data available/not applicable
е	Gases under pressure	No data available/not applicable
f	Flammable liquids	Flammable liquid.
g	Flammable solids	No data available/not applicable
h	Self-reactive substances and mixtures	No data available/not applicable
i	Pyroforic liquids	No data available/not applicable
j	Pyroforic solids	No data available/not applicable
k	Self-heating substances and mixtures	No data available/not applicable
I	Substances and mixtures, with emit	No data available/not applicable
	flammable gases in contact with water	
m	Oxidising liquids	No data available/not applicable
n	Oxidising solids	No data available/not applicable
0	Organic peroxides	No data available/not applicable
р	Corrosive to metals	No data available/not applicable
q	Desensitised exploxives	No data available/not applicable

## 9.2.2 Other safety characteristics

а	Mechanical sensitivity	No data available/not applicable
b	Self-accelerating polymerisation	No data available/not applicable
	temperature	

Date: 2022-08-15 Version no: 1.1



С	Formation of explosible dust/air	No data available/not applicable
	mixtures	
d	Acid/alkaline reserve	No data available/not applicable
е	Evaporation rate	No data available/not applicable
f	Miscibility	No data available/not applicable
g	Conductivity	No data available/not applicable
h	Corrosiveness	No data available/not applicable
i	Gas group	No data available/not applicable
j	Redox potential	No data available/not applicable
k	Radical formation potential	No data available/not applicable
I	Photocatalytic properties	No data available/not applicable

## **SECTION 10. Stability and reactivity**

## 10.1 Reactivity

The vapours may form explosive air mixtures.

## 10.2 Chemical stability

Stable under recommended storage and usage conditions.

## 10.3 Possibility of hazardous reactions

May occur during contact with unsuitable conditions or incompatible materials, see Section 10.4 and 10.5, respectively.

## 10.4 Conditions to avoid

Excessive heat.

# 10.5 Incompatible materials

Oxidising agents.

## 10.6 Hazardous decomposition products

During fire or high temperatures, carbon monoxide (CO) may be formed.

# **SECTION 11. Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological tests have been performed on the product. The product is not classified as toxic or harmful.

Date: 2022-08-15 Version no: 1.1



Hazardous components CAS no.	Value Type	Value	Route of exposure	Exposure time	Species	Method
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	LD50	>5000 mg/kg	Oral		Rat	
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	LD50	>5000 mg/kg	Dermal		Rabbit	
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	LC50	>5mg/l	Inhalation		Rat	4h (dust/smog)

## Classification according to GHS (1272/2008/EC, CLP)

Not classified Acute toxicity: Skin corrosion/irritation: Not classified Serious eye damage/eye irritation: Not classified Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Not classified Carcinogenicity: Not classified Reproductive toxicity: Not classified

STOT – single exposure: STOT – repeated exposure: May cause drowsiness or dizziness.

Not classified

**Aspiration hazard:** Not classified (exception due to viscosity)

#### 11.2 Information on other hazards

No more specific information.

## **SECTION 12. Ecological information**

### 12.1 Toxicity

No toxicological tests have been performed on the product. The product is not classified as toxic or harmful for ecosystems.

Hazardous components CAS no.	Value Type	Value	Route of Exposure	Exposure Time	Species	Method
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes,	LL50	>1000 mg/l	Water	96 h	Fish	

Date: 2022-08-15

Version no: 1.1



cyclics aromatics < 2%.						
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	EL50	>1000 mg/l	Water	72 h	Algae	

### 12.2 Persistence and degradability

Biogradable. >= 70% (28 dagys, method OECD 301E).

### 12.3 Bioaccumulative potential

No data available about Log Pow.

## 12.4 Mobility in soil

Slightly soluble.

#### 12.5 Results of PBT and vPvB assessment

The substance/mixture does not fulfil the criteria to be identified as PBT substance or vPvB substance.

### 12.6 Endocrine disrupted properties

No additional data available.

#### 12.7 Other adverse effects

No data available.

## **SECTION 13. Disposal considerations**

#### 13.1 Waste treatment methods

Dispose according to Directive 2008/98/EC on waste (Waste Framework Directive) and in compliance with local and national legislation. Do not allow to enter sewers. Transfer to a waste container and send for destruction. Directive (EU) 2018/851 of the European Parliament.

Packaging may still contain hazardous residues and disposal should be undertaken by a licensed waste contractor. Any disposal practice must be in compliance with local and national laws and regulations.

Dispose as hazardous waste.

Suggested EWC codes

15 01 10\* - Empty packaging contaminated with residues of hazardous substances

## **SECTION 14. Transport information**

Date: 2022-08-15 Page 9 (11)

Version no: 1.1



Exception to UN classification according ADR 2.3.1.2.1 (extra high viscosity etc).

#### 14.1 UN number

ADR -RID -IMDG -ICAO/IATA -

## 14.2 UN proper shipping name

ADR -RID -IMDG -ICAO/IATA -

## 14.3 Transport hazard class(es)

ADR Hazard no. RID ADN IMDG ICAO/IATA -

## 14.4 Packaging group

ADR - RID - IMDG - ICAO/IATA -

#### 14.5 Environmental hazards

ADR NO RID NO IMDG NO ICAO/IATA NO

## 14.6 Special precautions for user

Tunnel restriction code - Limited quantities, ADR -

#### 14.7 Maritime transport in bulk according to IMO instruments.

No IBC-code for bulk transport offshore (MARPOL).

# **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Date: 2022-08-15

Version no: 1.1

Page 10 (11)



Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16. Other information**

### **Revision summary**

Version 1.0.

### **Explanations to abbreviations in Section 14**

ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road RiD Règlement concernant le transport international ferroviaire de marchandises Dangereuses

(Regulations concerning the International carriage of Dangerous goods by rail)

IMDG code (International Maritime Dangerous Goods Code)

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec

H3C 5H7, Canada)

IATA International Air Transport Association

#### **Explanations to abbreviations in Section 3**

Flam. Liq. 3 Flammable Liquid (Category 3) Asp Tox 1 Aspiration toxicity (Category 1)

STOT SE 3 Specific target organ toxicity (single exposure) (Category 3)

#### **Explanations to H statements in Section 3**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness of dizziness.

This safety data sheet has been produced and reviewed by Chemgroup Scandinavia AB.

Date: 2022-08-15 Version no: 1.1

Product name: B75 Butyl

Page 11 (11)