

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ISOFLEX TOPAS NB 52
Article-No. : 004131

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease
Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG
Geisenhausenerstr. 7
81379 München
Deutschland
Tel.: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com
National contact : Klüber Lubrication Nordic A/S
Vasagatan 36
111 20 Stockholm
Sweden
Tel: +46 8 59098600
Fax: +46 8 59098601
klueber.se@klueber.com

1.4 Emergency telephone number

Emergency telephone number : 112 - ask for poison information
+49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)

KLÜBER
LUBRICATION

ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Acute toxicity, Category 4

H302: Harmful if swallowed.

Acute toxicity, Category 4

H332: Harmful if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.

Precautionary statements : **Prevention:**

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Hazardous components which must be listed on the label:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023-11-29 |
|----------------|------------------------------|---|------------------------|

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil
barium complex soap

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | specific concentration limit M-Factor Notes Acute toxicity estimate | Concentration (% w/w) |
|---|--|--|---|--------------------------|
| Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide | 1282612-27-4 433-080-4 056-002-00-7 01-0000017924-63-0001 | Acute Tox.4; H302 Acute Tox.4; H332 | Note A, Note 1 | >= 30 - < 50 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Seek medical advice.

If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:
Headache
Nausea

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023-11-29 |
|----------------|------------------------------|---|------------------------|

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|--|---------|-----------------|----------------------------|------------------------|
| bis(4-(1,1,3,3-tetramethylbutyl)phenyl)amine | Workers | Inhalation | Long-term systemic effects | 49,3 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 14 mg/kg bw/day |

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable
substance/mixture is non-soluble (in water)

Viscosity
Viscosity, dynamic : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

| | | |
|--|---|---|
| Viscosity, kinematic | : | Not applicable |
| Solubility(ies) | | |
| Water solubility | : | insoluble |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n- octanol/water | : | No data available |
| Vapour pressure | : | < 0,001 hPa (20 °C) |
| Relative density | : | 0,96 (20 °C) Reference substance: Water The value is calculated |
| Density | : | 0,96 g/cm ³ (20 °C) |
| Bulk density | : | Not applicable |
| Relative vapour density | : | No data available |
| Particle characteristics | | |
| Particle size | : | Not applicable |
| Particle Size Distribution | : | Not applicable |

9.2 Other information

| | | |
|----------------------|---|-------------------|
| Explosives | : | Not explosive |
| Oxidizing properties | : | No data available |
| Self-ignition | : | No data available |
| Evaporation rate | : | No data available |
| Sublimation point | : | Not applicable |

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Harmful if swallowed.

Acute toxicity estimate: 1.532 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: Harmful by inhalation.

Acute toxicity estimate: 4,6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Remarks: This information is not available.

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Product:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

NOAEL : 150 mg/kg

Aspiration toxicity

Product:

This information is not available.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP: yes

12.2 Persistence and degradability

Product:

- Biodegradability : Remarks: No data available
- Physico-chemical removability : Remarks: No data available

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

- Biodegradability : Test Type: Primary biodegradation
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 16,8 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Partition coefficient: n- : log Pow: 0,9 - 18
octanol/water

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available
environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Additional ecological information : No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product
12 01 12*, spent waxes and fats

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

Other regulations:

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

Take note of the Swedish Work Environment Authority regulations on Chemical Hazards in the Working Environment (AFS 2011:19)

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H332 : Harmful if inhaled.

Full text of other abbreviations

Note 1 : The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 4.2 | Revision Date: 2023-11-29 | Date of last issue: 2023-10-23 Date of first issue: 2016-01-29 | Print Date: 2023- 11-29 |
|----------------|------------------------------|---|----------------------------|

Note A : element calculated with reference to the total weight of the mixture.
: Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as "... compounds" or "... salts". In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

| | |
|--------------|------|
| Acute Tox. 4 | H302 |
| Acute Tox. 4 | H332 |

Classification procedure:

| |
|--------------------|
| Calculation method |
| Calculation method |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE
(Commission Regulation (EU) 2020/878)



ISOFLEX TOPAS NB 52

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2023-10-23 | Print Date: 2023- |
| 4.2 | 2023-11-29 | Date of first issue: 2016-01-29 | 11-29 |

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.