

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 30 Nov 2022

**Print date:** 30 Nov 2022

**Version:** 2022.1



Page 1/10

## CURTIS HiSpeed 415 Eco

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

CURTIS HiSpeed 415 Eco

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Water-miscible coolant lubricant

#### 1.3. Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**Curtis Systems GmbH**

Geheimrat-Hummel-Platz Nr. 4

65239 Hochheim

Germany

**Telephone:** 0614690738-0

**Telefax:** 061469073845

**E-mail:** info@curtis-systems.de

**E-mail (competent person):** weimer@curtis-systems.de

#### 1.4. Emergency telephone number

Technical department:, 06146-90738-33 (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

| Hazard classes and hazard categories                              | Hazard statements                                        | Classification procedure |
|-------------------------------------------------------------------|----------------------------------------------------------|--------------------------|
| Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )                | H315: Causes skin irritation.                            |                          |
| Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )         | H319: Causes serious eye irritation.                     |                          |
| Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> ) | H412: Harmful to aquatic life with long lasting effects. |                          |

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 2/10

## CURTIS HiSpeed 415 Eco

Signal word: Warning

### Hazard statements for health hazards

H315 Causes skin irritation.

H319 Causes serious eye irritation.

### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

### Supplemental hazard information

EUH208 Contains 2-n-butyl-benzo[d]isothiazol-3-one. May produce an allergic reaction.

### Precautionary statements Prevention

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statements Response

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Description:

Mixture of mineral oil, emulsifiers and additives.

#### Additional information:

Substance with a common (EC) occupational exposure limit value. See section 8.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers                                                                                      | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]                                                                                                                                                                               | Concentration            |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| CAS No.: 770-35-4<br>EC No.: 212-222-7<br>REACH No.:<br>01-2119486566-23-0000                            | <b>1-Phenoxy-2-propan-2-ol</b><br>Eye Irrit. 2 (H319)<br><b>Warning</b>                                                                                                                                                                                        | 1 - < 5<br>weight-%      |
| CAS No.: 141-43-5<br>EC No.: 205-483-3<br>REACH No.:<br>01-2119486455-28-0000                            | <b>2-aminoethanol</b><br>Substance with a community workplace exposure limit.<br><b>Additional information:</b> Specific concentration limit (SCL): STOT SE 3 ; H335: C ≥ 5 %                                                                                  | 1 - < 3<br>weight-%      |
| CAS No.: 101-83-7<br>EC No.: 202-980-7<br>Index No.: 612-066-00-3<br>REACH No.:<br>01-2119493354-33-0000 | <b>dicyclohexylamine</b><br>Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410),<br>Skin Corr. 1B (H314)<br><b>Danger</b>                                                                                                                    | < 1<br>weight-%          |
| CAS No.: 4299-07-4<br>EC No.: 420-590-7<br>Index No.: 606-079-00-3                                       | <b>2-n-Butyl-benzo[d]isothiazol-3-on</b><br>Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Skin Corr. 1B (H314),<br>Skin Sens. 1 (H317)<br><b>Danger</b><br><b>Additional information:</b> Specific concentration limit (SCL): (M Chronic=10) • (M Acute=1) | 0.1 - < 0.25<br>weight-% |

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

Change contaminated, saturated clothing.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 30 Nov 2022

**Print date:** 30 Nov 2022

**Version:** 2022.1



Page 3/10

## CURTIS HiSpeed 415 Eco

### Following inhalation:

Following inhalation - Provide fresh air.  
In case of respiratory tract irritation, consult a physician.

### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.  
In case of skin irritation, consult a physician.

### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion:

Let water be drunken in little sips (dilution effect).  
Do NOT induce vomiting.  
Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Suitable extinguishing media Sand alcohol resistant foam Extinguishing powder Dry extinguishing powder

#### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment.  
Special danger of slipping by leaking/spilling product.

#### 6.1.2. For emergency responders

No data available

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Collect in closed and suitable containers for disposal.

### 6.4. Reference to other sections

Personal protection equipment: see section 8  
Disposal: see section 13

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 4/10

## CURTIS HiSpeed 415 Eco

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

All work processes must always be designed so that the following is as low as possible: Inhalation Skin contact Eye contact

Always close containers tightly after the removal of product.

##### Fire prevent measures:

Usual measures for fire prevention.

##### Environmental precautions:

Shafts and sewers must be protected from entry of the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Shafts and sewers must be protected from entry of the product.

Provide for retaining containers, e.g. floor pan without outflow.

##### Requirements for storage rooms and vessels:

Keep container tightly closed.

Keep/Store only in original container.

Floors should be impervious, resistant to liquids and easy to clean.

##### Hints on storage assembly:

Materials to avoid: Oxidising agent

**Storage class (TRGS 510, Germany):** 10 – Combustible liquids that cannot be assigned to any of the above storage classes

##### Further information on storage conditions:

Further information on storage conditions Protect against: Heat Frost

Recommended storage temperature 10 - 30 °C

storage stability max. 1 year.

#### 7.3. Specific end use(s)

##### Recommendation:

Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

#### \* 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

| Limit value type<br>(country of<br>origin) | Substance name                                              | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IOELV (EU)                                 | 2-aminoethanol<br>CAS No.: 141-43-5<br>EC No.: 205-483-3    | ① 1 ppm (2.5 mg/m <sup>3</sup> )<br>② 3 ppm (7.6 mg/m <sup>3</sup> )<br>⑤ (may be absorbed through the skin)                                                                   |
| TRGS 900 (DE)                              | 2-aminoethanol<br>CAS No.: 141-43-5<br>EC No.: 205-483-3    | ① 0.2 ppm (0.5 mg/m <sup>3</sup> )<br>② 0.2 ppm (0.5 mg/m <sup>3</sup> )<br>⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) DFG, EU, Y, Sh, H, 11                 |
| TRGS 900 (DE)                              | dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7 | ① 0.7 ppm (5 mg/m <sup>3</sup> )<br>② 1.4 ppm (10 mg/m <sup>3</sup> )<br>⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) AGS, H, Y, 11                            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 5/10

## CURTIS HiSpeed 415 Eco

| Limit value type<br>(country of origin) | Substance name                                                       | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|-----------------------------------------|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TRGS 900 (DE)                           | 2,2',2''-nitrilotriethanol<br>CAS No.: 102-71-6<br>EC No.: 203-049-8 | ① 1 mg/m <sup>3</sup><br>② 1 mg/m <sup>3</sup><br>⑤ (eintatembare Fraktion) DFG, Y                                                                                             |

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

| Substance name                                                    | DNEL value              | ① DNEL type<br>② Exposure route                             |
|-------------------------------------------------------------------|-------------------------|-------------------------------------------------------------|
| 1-Phenoxy-2-propan-2-ol<br>CAS No.: 770-35-4<br>EC No.: 212-222-7 | 42 mg/kg bw/day         | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 0.353 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 0.1 mg/kg               | ① DNEL worker<br>② Long-term - dermal, systemic effects     |

| Substance name                                                    | PNEC Value    | ① PNEC type                   |
|-------------------------------------------------------------------|---------------|-------------------------------|
| 1-Phenoxy-2-propan-2-ol<br>CAS No.: 770-35-4<br>EC No.: 212-222-7 | 0.1 mg/L      | ① PNEC aquatic, freshwater    |
| 1-Phenoxy-2-propan-2-ol<br>CAS No.: 770-35-4<br>EC No.: 212-222-7 | 0.01 mg/L     | ① PNEC aquatic, marine water  |
| 1-Phenoxy-2-propan-2-ol<br>CAS No.: 770-35-4<br>EC No.: 212-222-7 | 10 mg/L       | ① PNEC sewage treatment plant |
| 1-Phenoxy-2-propan-2-ol<br>CAS No.: 770-35-4<br>EC No.: 212-222-7 | 0.38 mg/kg    | ① PNEC sediment, freshwater   |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 0.00032 mg/L  | ① PNEC aquatic, freshwater    |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 0.00003 mg/L  | ① PNEC aquatic, marine water  |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 108 mg/L      | ① PNEC sewage treatment plant |
| dicyclohexylamine<br>CAS No.: 101-83-7<br>EC No.: 202-980-7       | 0.00529 mg/kg | ① PNEC sediment, freshwater   |

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### 8.2.2. Personal protection equipment



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 6/10

## CURTIS HiSpeed 415 Eco

### Eye/face protection:

Suitable eye protection: Eye glasses with side protection

### Skin protection:

Hand protection: Tested protective gloves must be worn - The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: Suitable material: NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber)

Thickness of the glove material: 0,7 mm

Breakthrough time: > 480 min.

### Respiratory protection:

Usually no personal respirative protection necessary.

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, aerosol or mist formation

### Other protection measures:

Do not put any product-impregnated cleaning rags into your trouser pockets.

Draw up and observe skin protection programme.

Before starting work, apply water-resistant skincare preparations.

Avoid contact with skin, eyes and clothes.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: yellow

Odour: characteristic

#### Safety relevant basis data

| Parameter                                    | Value                    | at °C | ① Method<br>② Remark |
|----------------------------------------------|--------------------------|-------|----------------------|
| pH                                           | > 9.5                    | 20 °C | ② 5%                 |
| Melting point                                | not determined           |       |                      |
| Freezing point                               | not determined           |       |                      |
| Initial boiling point and boiling range      | > 100 °C                 |       |                      |
| Decomposition temperature                    | not determined           |       |                      |
| Flash point                                  | > 100 °C                 |       | ① DIN EN ISO 2592    |
| Evaporation rate                             | not determined           |       |                      |
| Auto-ignition temperature                    | not determined           |       |                      |
| Upper/lower flammability or explosive limits | not determined           |       |                      |
| Vapour pressure                              | not determined           |       |                      |
| Vapour density                               | not determined           |       |                      |
| Density                                      | 1.001 g/cm <sup>3</sup>  | 15 °C | ① DIN EN ISO 12185   |
| Relative density                             | not determined           |       |                      |
| Bulk density                                 | not determined           |       |                      |
| Water solubility                             | not determined           |       |                      |
| Partition coefficient: n-octanol/water       | not determined           |       |                      |
| Dynamic viscosity                            | not determined           | 20 °C | ① DIN EN ISO 3104    |
| Kinematic viscosity                          | ≈ 100 mm <sup>2</sup> /s | 20 °C | ① DIN EN ISO 3104    |

### 9.2. Other information

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 30 Nov 2022

**Print date:** 30 Nov 2022

**Version:** 2022.1



Page 7/10

## CURTIS HiSpeed 415 Eco

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

Protect against: Heat Frost

#### 10.5. Incompatible materials

Materials to avoid Oxidising agent

#### 10.6. Hazardous decomposition products

No decomposition under normal conditions.

Decomposition products in case of fire: see section 5.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute oral toxicity:

Based on available data, the classification criteria are not met.

##### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

##### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

##### Skin corrosion/irritation:

irritant.

The statement is derived from the properties of the single components.

##### Serious eye damage/irritation:

There are no data available on the mixture itself.

irritant.

The statement is derived from the properties of the single components.

##### Respiratory or skin sensitisation:

No sensitisation effect known.

Contains: 2-n-butyl-benzo[d]isothiazol-3-one. May produce an allergic reaction.

##### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

##### Carcinogenicity:

Based on available data, the classification criteria are not met.

##### Reproductive toxicity:

Based on available data, the classification criteria are not met.

##### STOT-single exposure:

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties:

No information available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### Aquatic toxicity:

There are no data available on the mixture itself.

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 8/10

## CURTIS HiSpeed 415 Eco

### Additional ecotoxicological information:

Harmful to aquatic life.

### 12.2. Persistence and degradability

#### Abiotic degradation:

Poorly eliminated from water.

#### Biodegradation:

Part of the components is biodegradable.

### 12.3. Bioaccumulative potential

#### Accumulation / Evaluation:

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No information available.

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

#### Waste code product

|            |                                                    |
|------------|----------------------------------------------------|
| 12 01 09 * | machining emulsions and solutions free of halogens |
|------------|----------------------------------------------------|

\*: Evidence for disposal must be provided.

#### Waste treatment options

#### Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

| Land transport (ADR/RID)                                   | Inland waterway craft (ADN)                                | Sea transport (IMDG)                                       | Air transport (ICAO-TI / IATA-DGR)                         |
|------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|
| <b>14.1. UN number or ID number</b>                        |                                                            |                                                            |                                                            |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.2. UN proper shipping name</b>                       |                                                            |                                                            |                                                            |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.3. Transport hazard class(es)</b>                    |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |
| <b>14.4. Packing group</b>                                 |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |
| <b>14.5. Environmental hazards</b>                         |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Nov 2022

Print date: 30 Nov 2022

Version: 2022.1



Page 9/10

## CURTIS HiSpeed 415 Eco

| Land transport (ADR/RID)                  | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|-------------------------------------------|-----------------------------|----------------------|------------------------------------|
| <b>14.6. Special precautions for user</b> |                             |                      |                                    |
| not relevant                              | not relevant                | not relevant         | not relevant                       |

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

 [DE] National regulations

Störfallverordnung (12. BImSchV)

#### Remark:

This product is not classified according to StörfallV.

#### Water hazard class

##### WGK:

1 - schwach wassergefährdend

##### Source:

Self-classification (mixture; calculation rule).

#### Technische Regeln für Gefahrstoffe

TRGS 611

### 15.2. Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1. Indication of changes

|      |                    |
|------|--------------------|
| 3.2. | Mixtures           |
| 8.1. | Control parameters |

30.11.2022 Version 2022.1

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories                              | Hazard statements                                        | Classification procedure |
|-------------------------------------------------------------------|----------------------------------------------------------|--------------------------|
| Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )                | H315: Causes skin irritation.                            |                          |
| Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )         | H319: Causes serious eye irritation.                     |                          |
| Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> ) | H412: Harmful to aquatic life with long lasting effects. |                          |

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| Hazard statements |                                          |
|-------------------|------------------------------------------|
| H302              | Harmful if swallowed.                    |
| H314              | Causes severe skin burns and eye damage. |
| H317              | May cause an allergic skin reaction.     |
| H319              | Causes serious eye irritation.           |
| H400              | Very toxic to aquatic life.              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 30 Nov 2022

**Print date:** 30 Nov 2022

**Version:** 2022.1



Page 10/10

## CURTIS HiSpeed 415 Eco

### Hazard statements

|      |                                                       |
|------|-------------------------------------------------------|
| H410 | Very toxic to aquatic life with long lasting effects. |
|------|-------------------------------------------------------|

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available

\* Data changed compared with the previous version.